




v3




v1




v2




v8



v5




Corte A




112 N15 Ø 5 C=125

Corte B




27 N15 Ø 5 C=125

Corte C




2 N15 Ø 5 C=125

Corte A




140 N13 Ø 5 C=125

Corte B




2 N13 Ø 5 C=125

Corte A




121 N17 Ø 5 C=115

Corte B




27 N17 Ø 5 C=115

v4




Corte A




58 N4 Ø 5 C=115

v7




Corte A




31 N6 Ø 5 C=115

Corte B




31 N6 Ø 5 C=115

v6




Corte A




31 N6 Ø 5 C=115

Corte B




31 N6 Ø 5 C=115

v9



Corte A



58 N4 Ø 5 C=115

AÇO	POS	BIT (mm)	QUANT	COMPRIMENTO (cm)	UNIT	TOTAL (cm)
v1						
S0A	1	10	2	885	1770	
S0A	2	10	1	285	285	
S0A	3	10	2	235	470	
S0A	4	10	2	815	1630	
S0A	5	10	2	225	450	
S0A	6	10	2	220	440	
S0A	7	10	2	220	440	
S0A	8	10	1	180	180	
S0A	9	10	2	975	1950	
S0A	10	10	2	850	1700	
S0A	11	10	3	185	555	
S0A	12	10	2	460	920	
S0A	13	5	142	125	17750	
v2						
S0A	1	10	2	355	710	
S0A	2	10	1	165	165	
S0A	3	10	2	950	1900	
S0A	4	10	2	240	480	
S0A	5	10	3	235	705	
S0A	6	10	2	940	1880	
S0A	7	10	3	225	675	
S0A	8	10	3	260	780	
S0A	9	10	2	1005	2010	
S0A	10	10	1	350	350	
S0A	11	10	1	205	205	
S0A	12	10	2	825	1650	
S0A	13	10	1	215	215	
S0A	14	10	1	150	150	
S0A	15	10	2	460	920	
S0A	16	10	1	330	330	
S0A	17	5	148	115	17010	
v3						
S0A	1	10	3	285	855	
S0A	2	10	2	1035	2070	
S0A	3	10	3	235	705	
S0A	4	10	2	505	1010	
S0A	5	10	3	225	675	
S0A	6	10	2	690	1380	
S0A	7	10	1	220	220	
S0A	8	10	1	180	180	
S0A	9	10	2	980	1960	
S0A	10	10	2	205	410	
S0A	11	10	1	825	1650	
S0A	12	10	2	210	210	
S0A	13	10	1	155	155	
S0A	14	10	2	465	930	
S0A	15	5	141	125	17625	
v4						
S0A	1	10	3	970	2910	
S0A	2	10	2	925	1850	
S0A	3	10	2	325	650	
S0A	4	5	58	115	6670	
v5						
S0A	1	10	3	971	2913	
S0A	2	10	2	925	1850	
S0A	3	10	2	305	610	
S0A	4	5	62	115	7130	
v6						
S0A	1	10	3	400	1200	
S0A	2	12.5	3	600	1800	
S0A	3	10	2	925	1850	
S0A	4	10	1	345	345	
S0A	5	10	1	240	240	
S0A	6	5	62	115	7130	
v7						
S0A	1	10	3	400	1200	
S0A	2	12.5	3	600	1800	
S0A	3	10	2	925	1850	
S0A	4	10	1	345	345	
S0A	5	10	1	240	240	
S0A	6	5	62	115	7130	
v8						
S0A	1	10	3	971	2913	
S0A	2	10	2	925	1850	
S0A	3	10	1	310	310	
S0A	4	10	1	305	305	
S0A	5	5	62	115	7130	
v9						
S0A	1	10	3	949	2847	
S0A	2	10	2	928	1856	
S0A	3	10	2	320	640	
S0A	4	5	58	115	6670	

AÇO	RESUMO AÇO CA	50-60	PESO
	BIT (mm)	COMPR (m)	(kg)
S0A	5	943	145
S0A	10	657	405
S0A	12.5	36	85
Peso Total		60A =	145 kg
Peso Total		50A =	440 kg